

INTRODUCTION

The State and Local Air Monitoring Network Plan provides the results of the annual review of the air monitoring stations in California. These stations house monitoring instruments that measure ambient levels of gaseous and particulate (solid and liquid aerosol) air pollutants. Some of the stations also collect meteorological data. The plan contains updated monitoring information about the types of ambient air quality information that the Planning and Technical Support Division of the California Air Resources Board can provide upon request (aqdweb@arb.ca.gov). The information includes the data availability for air quality and meteorological data, the location of the monitoring stations, and the type of ambient air quality monitoring performed at each monitoring station.

The purpose of the air monitoring network plan is two-fold. First, the plan confirms that the network continues to meet the State and Local Air Monitoring Stations (SLAMS) criteria established by federal regulations and that the information in the State and federal monitoring records properly classify each station. Second, the plan serves as a directory of existing SLAMS monitoring and Special Purpose Monitoring (SPM) that is performed at each site. The National Air Monitoring Station (NAMS) network and the Photochemical Assessment Monitoring Station (PAMS) network, both subsets of the SLAMS, are also identified in the report.

The NAMS, PAMS, SLAMS, and SPM monitoring stations in the state are operated by the Air Resources Board (ARB), by local Air Pollution Control Districts (APCD) or Air Quality Management Districts (AQMD), by private contractors, and by the National Parks Service (NPS). These entities operate more than 250 air monitoring stations in California. The ARB operates air monitoring stations throughout the State. Most of the local districts operate air monitoring stations within their jurisdictions. In some portions of the State, private contractors operate monitoring stations under contract with businesses that are required by permit conditions to conduct monitoring. The National Parks Service also operates a number of air monitoring stations in the National Parks and National Monuments throughout California. There are a few monitoring stations located in Tijuana, Mexicali, and Rosarito Playas, Mexico, operated by a contractor for the ARB. The locations of the stations throughout the network are presented in Table 2 and on maps that are included in this report as Figures 1 through 17, starting on page 5-1.

The geographical jurisdiction of different local districts ranges from a portion of a county to several counties. While some local districts have authority to do air monitoring in the single county within their jurisdiction (e.g., San Diego APCD), other districts have authority over more than one county (e.g., Feather River AQMD), and still other districts have authority over an entire air basin (e.g., Bay Area AQMD). Note that a number of counties lie in more than one air basin (e.g., Kern County). Also, some districts have authority to monitor only in the

portion of the county within the air basin it resides in (e.g., Northern Sonoma County APCD).

In late 1984, the ARB established statewide ambient air toxic monitoring to facilitate the identification and control of toxic air contaminants in California, pursuant to 1983 amendments to the Health and Safety Code (AB 1807, Tanner). The ARB and one local agency, the Bay Area AQMD, are conducting toxics monitoring at 36 long-term air monitoring stations in the state and one air monitoring station in Mexico. The ARB's sampling network consists of 18 stations located throughout California and the one in Mexico. In addition, the ARB at times conducts limited-term toxics sampling at a small number of sites as part of a program mandated by the California Legislature by Senate Bill 25. Some of the stations in the ARB toxics sampling network contain ARB monitoring equipment operated by local district staff. The ARB's California network consists of stations located in the San Francisco Bay Area, South Coast, San Diego, South Central Coast, Sacramento Valley, Salton Sea and San Joaquin Valley Air Basins. In addition, the 20 special purpose toxics monitoring stations operated by the Bay Area are included in this year's report. Two of those stations also include some toxics data streams for which the ARB is responsible.

The State and Local Air Monitoring Network Plan contains two tables, a map section, two appendices, and a glossary. Table 1 lists the range of years of ambient air quality and meteorology data that are available for monitors that have been active at any time between 1990 and 2005. If the ARB has not yet received PM_{2.5} data for a site, an 'X' is used to indicate that a PM_{2.5} monitor is planned to have data submitted for it at some time.

Table 2 includes several types of useful information about each monitoring site, including several attributes of each criteria pollutant monitor, the meteorological data availability, site location information, and the operating agency. (A criteria pollutant is a pollutant which has a National Ambient Air Quality Standard (NAAQS) to protect public health and welfare.) The sites included in Table 2 are those that have been in operation at some time since 1990.

The monitor information listed for the criteria pollutants includes the network designation, sampling or analysis method, spatial scale, and monitoring objective. Only monitoring methods that are considered to be reference or equivalent methods by both the U.S. EPA and the ARB are included in Table 2. For example, tapered-element oscillating microbalance (TEOM) and beta attenuation method (BAM) samplers, considered equivalent for collecting PM₁₀ data by the U.S. EPA but not by the ARB, are not included in Table 2.


Table 2 also indicates the SLAMS and SPM air monitoring stations that collect meteorological data, and the types of data collected.

In addition, Table 2 lists the geographical locations of the monitoring sites. The locations are specified by latitudes and longitudes, as well as by elevations in meters. The elevation data have not been reviewed and are preliminary. For some sites, not all of the location information is available.

Appendix A contains lists of PM_{2.5}, nonmethane organic, and toxic compounds for which data are available. Appendix B lists the monitoring sites that began monitoring and reporting data by mid-2005 and since we published the previous report in November 2004. Air monitoring terminology used throughout the two tables is described in the glossary under the categories of Pollutant, Meteorological Parameter, Monitor Designation, Sampling or Analysis Method, Spatial Scale, and Monitoring Objectives.

The two tables in this report are organized alphabetically by air basin. Within each air basin, the counties are arranged in alphabetical order, and within each county the monitoring sites are also arranged in alphabetical order. The map section is also arranged alphabetically by air basin. For quick referencing between Tables 1 and 2, information for the same site can be located on respective pages within Table 1 and Table 2. For example, a site listed in Table 1 on page 3-17 will be listed in Table 2 on page 4-17.

The graph below shows the change in the number of sites monitoring each of the federal criteria pollutants over the last 20 years.



¹. For the six pollutants with federal ambient air quality standards.